

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)

Your wildcard search against 2000 terms has yielded the results below

Search for additional matches among the next 2000 terms

starting with: KEY\$(KEYOSK).P28-P86.

Search Results -

| Terms | Documents |
|-------------------------------|-----------|
| 112 and (prefix\$ same key\$) | 39 |

US Patents Full-Text Database

US Pre-Grant Publication Full-Text Database

JPO Abstracts Database

EPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Database:

112 and (prefix\$ same key\$)

Refine Search:**Clear****Search History****Today's Date: 5/10/2001**

| <u>DB Name</u> | <u>Query</u> | <u>Hit Count</u> | <u>Set Name</u> |
|----------------|---------------------------------|------------------|-----------------|
| USPT | l12 and (prefix\$ same key\$) | 39 | <u>L15</u> |
| USPT | l13 not l5 | 0 | <u>L14</u> |
| USPT | l11 and (cache\$ same prefix\$) | 8 | <u>L13</u> |
| USPT | l11 and prefix\$ | 219 | <u>L12</u> |
| USPT | l4 and l3 | 1377 | <u>L11</u> |
| USPT | l1 and l3 and (l8 or l9) | 0 | <u>L10</u> |
| USPT | trigram\$ | 279 | <u>L9</u> |
| USPT | bigram\$ | 167 | <u>L8</u> |
| USPT | l1 and l3 and bigram\$ | 0 | <u>L7</u> |
| USPT | l1 and l3 and trigram\$ | 0 | <u>L6</u> |
| USPT | l1 and l3 and l4 | 8 | <u>L5</u> |
| USPT | (n gram) | 918959 | <u>L4</u> |
| USPT | hash\$4 same table\$ | 2047 | <u>L3</u> |
| USPT | prefix\$ same cache\$ | 179 | <u>L2</u> |
| USPT | prefix\$ same cache\$l | 179 | <u>L1</u> |

WEST**End of Result Set**

Generate Collection

L12: Entry 1 of 1

File: USPT

Jun 6, 2000

DOCUMENT-IDENTIFIER: US 6073129 A

TITLE: Method and apparatus for improving the performance of a database management system through a central cache mechanism

DEPR:

PREFIX KEYWORD:value.

DEPR:

prefix keyword =.vertline.: value

DEPR:

Required prefixes and keywords are shown in upper case for simplicity. However, both the prefix and keyword are case insensitive. Values to be supplied are shown in lower case.

DEPR:

Defines the area of RDBMS software to which the configuration parameter applies. For SQL Cache parameters, the prefix is `SQL.sub.-- CACHE`.

DEPR:

Unrecognized prefixes and keywords (those not used by the software) are processed as comments. Values that follow the equal sign or colon are subject to error checking, and an invalid value causes the following error message to be returned.

DEPL:

PREFIX KEYWORD=value.

DEPL:

1. prefix